

TACUPOL'SKIY, L.M.; GANDEL'SMAN, L.Z.; TRUSHANIBA, L.T.


Relationably Fither the structure and photostability of fluorine-con teining dyes. Ukr. khim. zhur. 31 no. 12:
1301-1305 '65 (MIRA 19:1)

1. Institut organicheskoy khimii AN UkriiR. Submitted June 25,
1964.



CIA-RDP86-00513R000614220005-1" **APPROVED FOR RELEASE: 09/17/2001**





STATES TAPAL ITE.

AUTHORS:

Gandel'sman, V.B., and Gal'perin, M.I. Engineers

TITLE:

Mashiny dlya dobychi yestestvennogo stenovogo i oblitso-

PERIODICAL:

Mekhanizatsiya Trudoyemkikh i Tyazhelykh nabot, 1958, Nr 4, pp 37-40 (USSR)

ABSTRACT:

The authors give a detailed description of various stone cutting and stone moving machines produced by the Moskovskiy zavod "Strommashina" (Moscow "Strommashina" Plant). In 1956 the USSR produced 3,600,000 cubic meters of natural wall stone, or 1.5 billion standard bricks. By 1960, stone production is supposed to reach 15,250,000 cubic meters. The following Soviet inventors have played an important role in developing stone cutting machinery: Petrik, Zil'berglit, Stolyarov, Galanin, Zastupaylo, Chegodayev, the brothers Zhuchenkov and others. There are 5 figures.

AVAILABLE:

Library of Congress

Card 1/1

1. Stone cutting machines 2. Construction-Equipment 3. Quarries-

SOV/113-53-3-12/22 .£3(1),£5(5) V.B.

AUTHOR: Gal'perin, M.I., and Gandel'sman, Logineers

A Method Increasing the Productivity of Stone Cutting TITLE:

Machines (Puti povysheniya proizvoditel'nesti kamne-

reznykh mashin)

PERIODICAL: Mekhanizatsiya i avtomatizatsiya proizvodstva, 1959,

Nr 3, pp 36-38 (USSR)

ABSTRACT: The authors state that more than a thousand stone cut-

ting machines are actually in use at various quarries. In 1958, 3.6 billion wall stones were produced, which represents 9.6% of the whole production of wall-building material. In 1959 this production will increase to 11 billion units, representing 13.3% of the whole production of wall-building materials. In order to ensure this development, it is absolutely necessary to raise the standards of mechanization in the quarries. Experience shows, that the best work is performed by high much machines, its basic advantage being the 13-15 saks, working simul-

Card 1/2 taneously. The authors analyze the geometrical forms of

A Method Increasing the Productivity of Stone Cutting Machines

the saw teeth, the quality of the material the instruments are made from, and conclude that it is absolutely necessary for the enterprises to redesign their stonecutting machines and improve their quality, and for factories producing disc-saws to improve their design and use spade shape teeth and a negative front angle. Furthermore, new machines for stone transportation and removal of cuttings should be manufactured according to new principles. There are £ graphs and 1 table.

Card 2/2

GAL'PERIN, M.I., doktor tekhn. nauk; GANDEL'SMAN, V.B., inzh.

Cutting tools and operations of stonecutting machinery. Stroi. rat.
5 no.4:16-19 Ap '59. (MIRA 12:6)
(Stonecutting~Equipment and supplies)

GANDEV, Khristo, Prof. Dr. (Sofiia)

Infiltration and establishment of the Bulgarians in Vidin at the end of the 17th and during the 18th centuries. Izv inst etnogr BAN 4: 5-26 '61. (EEAI 10:9)


(Bulgaria--History)

CANIEV, L.

GANDEV, L. Ways for reducing expenditure of pipes, metals and alloys in goologic core drilling. p. 78.

Vol. 11, No. 5, Jept./Oct. 1956. MINNO Dalo TECHNOLOGY Sofiia, Eulgaria

So: East European Accession, Vol. 6, No. 3, March 1957



GANDFOL!, Ya.; MUTOVKIN, A.

Capron should replace metals. NTO 3 no.3:28-29 Mr '61. (MIRA 14:3)

1. Zamestitel! predsedatelya Vologodskogo sovnarkhoza (for Gandfol').

2. Nachal'nik upravleniya mashinostroyeniya Vologodskogo sovnarkhoza (for Mutovkin).

(Bylon)

GARDINA GANDILYNIN P.

USSR(ARMENIA)/Cultivated Plants - Grains.

L-2

Abs Jour

: Ref Zhur - Biologiya, No 16, 25 Aug 1957, 69202

Author

Gandilyan

Inst Title

Influence of Sowing Norms and Fertilization on Some

Species of Winter Wheat Under Conditions in the Nor-

Bayazet District of Armenian SSR.

Orig Pub

: Izv. AN ArmSSR, biol. i s.-kh. n., 1956, 9, No 12, 91-98

Abst

Species of winter wheats Armyanka, Ukrainka and Karmir "slfaat" were studied in boggy environments. It is recommended that in the dry autumn period the norm of sowings be increased up to 6.5 million germinating seeds per hectare. Under normal conditions Karmir "slfaat" and Ukrainka should be sowed at 4.5-5.0 million germi-

nating grains per hectare.

Card 1/1

GANDILYAN, P. A. Cand Agr Sci -- (diss) "Study of winter wheat under conditions of the Nor-Bayazet of the Armenian SSR." Yerevan, 1957. 47 pp


(Min of Agriculture USSR. Armenian Agr Inst), 150 copies (KL, 11-58, 119)

-92-

GANDILYAN, P.A.

Formation of "branching spikes" and "sprouting flowers" in wheat. Izv.AN Arm. SSR 12 no.12:89-94 D '59. (MIRA 13:6)

l. Kafedra botaniki, fiziologii rasteniy i mikrobiologii Armyanskogo sel'skokhozyaystvennogo instituta. (WHEAT)



GANDILYAM, F.A.

A new species of Acytlops in Armenia. Izv. All Arm. SSR. Biol. nauki 17 no.12:113-114 D '64. (HIRA 18:3)

1. Kafedra botaniki Armyanskogo sel'skokhozyaystvennogo instituta.

GANDIN, Boris Davydovich; MEDVEDENKO, Arkadiy Markovich; TSAL, K.I., otvetstvennyy red.; ALEKSEYEVA, M.N., red.; DLUGOKANSKAYA, Ye.A., tekhn.red.

[Methods of electric measurement on ships] Metody elektricheskikh izmerenii na sudakh. Leningrad, Gos.soiuznoe izd-vo sudostroit. promyshl. No.1. 1956. 78 p. (MIRA 11:1)

(Electric measurements)

GANDIN, B.D., inzhener; MEDVEDENKO, A.M., inzhener.

Portable apparatus for cutting cables. Energetik 4 no.9:26-27 8 '56.
(Gutting machines)

(MLRA 9:10)

GANDIN, B.D., inzhener; MEDVEDENKO, A.M., inzhener.

Hew apparatus for fitting cable cores and conductors with tips by/pressure jointing. Energetik 4 no.10:33-36 0 '56. (MLRA 9:11)

(Electric wire) (Electric connectors)

GANDIN. Boris Davydovich; MEDVEDENKO, Arkadiy Markovich; ORLOV, B.V., nauchnyy red.; SHAURAK, Ye.N., red.; LEVOCHKINA, L.I., tekhn.red.

[Adjustment and testing of electric machinery on ships] Regulirovanie i ispytanie elektricheskikh mashin na sudakh. Leningrad. Gos. soius. izd-vo sudostroit. promyshl. No.2. 1957. 105 p. (MIRA 11:5)

(Electricity on ships)

GANDIN. Boris Davydovich; MEDVEDENKO, Arkadiy Markovich; KABCHEYSEIY,

M.I., nauchnyy red.; SHAURAK, Ye.M., red.; LEVOCHKINA, L.I.,
tekhn.red.

[Rules for reading diagrams and blueprints for electricity
on ships] Pravila chteniis sudovykh elektricheskikh skhem i
chertezhei. Leningrad, Gos.soluznoe izd-vo sudostroit.
promyshl., 1958. 70 p.

(Electric engineering) (Electricity on ships)

8(6), 9(2) 507/91-59-9-14/33

AUTHOR: Gandin, B.D., Molotkov, R.A., Engineers

TITLE: An Instrument for Testing Thermal Relays and Automa-

tic Setting Devices

PERIODICAL: Energetik, 1959, Nr 9, pp 22-23 (USGP)

ABSTRACT: The authors describe an instrument for testing ther-


mal relays and automatic setting devices with a working current of up to 50 amps. The portable instrument has a weight of 9.7 kg and the dimensions of 380 x 205 x 170 mm. A photograph of this device is shown in Figure 1. The circuit diagram is shown in Figure 2. The device consists of a transformer with a magnetic shunt, one E421 ammeter with a measuring current transformer of type UTT-5, signal lamp MN-3 and the necessary number of switches. The device is powered by 220 volts ac. The authors present constructional details, coil data, for the transformer, which


is shown in Figure 4. There are 1 photograph, 1 cir-


Card 1/1 cuit diagram, 4 diagrams and 1 table.


GANDIN. Boris Davydovich; FISHMAN, Lev Moiseyevich; MEDVEDEV, I.S., inzh., retsenzent; FRENKEL', B.I., inzh., retsenzent; CHERNOMORDIKOV, G.V., nauchn. red.; NIKITINA, M.I., red.; CHISTYAKOVA, R.K., tekhn. red.; ERASTOVA, N.V., tekhn. red.

[Equipment and devices for repairing electrical machines] Osnastka i pribory dlia remonta elektricheskikh mashin. Leningrad, Sudpromgiz, 1963. 223 p. (MIRA 16:10)
(Electric machinery—Maintenance and repair)









DAVIDOVICH, Feliks Stanislavovich; PERSHINOV, Aleksandr Aleksandrovich; KHCMYAKOV, N.M., doktor tekhn. nauk, retsenzent; CANDIN, B.D., nauchn. red.; SACHUK, N.A., red.

ne in the allowers in the contraction of the contra

[Testing the electrical equipment of ships] Ispytaniia sudovogo elektrooborudovaniia. Leningrad, Sudostroenie, 1964. 168 p. (MIRA 17:12)

(MIRA 17:12)

GANDIN, Boris Davydovich, inzh.; MAGARSHAK, Boris Grigor'yevich, inzh.; SOKOLOV, Andrey Grigor'yevich, inzh.; KITAYENKO,G.I. kand. tekhn. nauk, nauchn. red.; SACHUK, N.A., red.


on the repair of electric equipment on ships]
spravochnik po remontu sudovogo elektrooborudovaniia.
Leningrad, Sudostroenie. No.1. 1964. 240 p.


CANDIN, 1.3.

Central Geophysical Observatory, Red Army, (-1943-)

"On the Accuracy of Wind Measurements by Three Declination Angles of an Aeroplane,"

Iz. NAUK SSSR, Ser. Geograf. i Geofiz., No. 1-6, 1944.





Gardin, L. S.


Chorotical Explanation of the Observed Seteral Distribution of Syn Stots
Eckledy Akademiya Hank, SECH
Vol. 25, 1887, pp. 705


From: D. H. L. Guide to R.-Selentific For. Lit. So. 2, Vol. 1, May 1946, p. 3


)	<i>y</i>	,	•				****					:	8,	*	
				turb ulence	in L.S. a turbuse Lenin	nd Dubov. itnosti, [1 ggd. Glav 36-143. I	ne comple	icherkaus (biernitorii	d, Trudy	goda po udy cf at , 16(18):	-9, 1919.		-	. 00		, ;
	•	•	theft	d figs. a mosp heric test t heor serves as a con dition: The appearance of the control of the co	pend. p. turbulence etical form us introduce t of the expedix presen	e, was madulas propos tion to 11 p pedition, the	e at the sed by Bun apers, publ e program ita for tem	tation Dol yko, Lalk ished in the of measure perature (s	goprudnais urman, En same voluments aik urlace, 0.2	tuebr here and the ken of the ken of the ken of the ken of the ten of	torcou) le otheri. describes describes dion the in m), and d	i order to this paper he general struments ata for the ys., but				•	
:		•				the night as research							•				
	•					•				•				1			
			· .					•	•	•							•
					•												
	•	•															
		• .															

 AI	JDJA.		: ک	, , , , , , , , , , , , , , , , , , ,	95							•	CEN	ts 1 . e e i		:::: ::,				**	
			5	of the c	.95 ulin, L. S co perent oefficient o 6(78):52-1	of Tuchol	hard mini	1 /	t and an				· · · · · · · · · · · · · · · · · · ·	4:1 સ્ટાઇકાર્ય	1 280 01	1			6	4	
	r .		- J	of the t based on zontal ar	wo main o a large so id vertical	direction rics of w	in Rus	sim str tempera	ոհշ. տ	i atuns oldes, a	pheric t well as	arket co urbulen od me	espanită ce Ah surcujer	ve anal e tests its of h	ine ori-				0	1	
			<i>₩</i>	PRANDTL	's roughn two addici	es feigh	t he int	nalikts	only o	nt addi	r nepeli	arameti aramet	કાગમાંણ સામાના સામાના	Besi 1174an	idas :			•		Ī	
			•	The influ	ence of err	ors on th	ic result	is studie	d in der	માંદ્ર તાલુ ail, amf	raa the r raanegr	est seco	ուժ արյու	oximati	iun.						
			٠.,		oefficient.	1. Duay		10	M TWITTER	<u>n, D.</u> L. /	. A.J.					•					
								-	Ø.								•			:	
							.			• ; •							•				
· · :																:				1	
.*-		••	•				•		•							•	•				
	: *			•	•					:				•		•					
			*	•							•.			:		•					
	•											·.		· •						<i>t</i>	
				r e																	
111110	15000						311 83837				il a mi										

J. 5.6-160 \[\sum_{\text{Gardins}} L. S. and Dubny A. S. Ob opereleistil khola keefteleinia perennehaterula, vyotara "gunwashaku anklideenii a ned rasselandern vrenten paskrulia liasheyshi chastil. Determination of the variation with height of the exchange creditions with the said statil. Perennents on the dispersion time of settling of heavy particles 1 A. T.
S. 6-160 Gaudin, L. S. and Duboy, A. S. Ob opredelentil shods keedtelents peremetable of the variation and resselentem remues padentia (lashedyth chastiff, tyrector 8 Boneschettu mabiliadenta and resselentem remues padentia (lashedyth chastiff, tyrector 8 Boneschettu mith the aid of the variation with height of the exchange coefficient with the aid of operations on the dispersion time of settling of heavy particles. I Learnerad, Glaired Genfacthedria Observe the standard deviation of the falling time in heavy particles in out- to proposed to observe the standard deviation of the falling time in heavy particles in out- to compute the magnitude of the exchange coefficient, issuanting a limit revirable with height (th). The authors applied this approach to a model, white the exchange coefficient (4) is contained above a certain level (b), solving the differential equation $\frac{d_1}{d_1} = \frac{2d_1}{\partial z} = K \frac{dq}{dz} (L \ge h)$ Q(x,t)—concentration of the particles (balloons); itime; tcritical fall velocity of the particles. Combining their solution with Right's results for the layer near the ground, the authors obtain: $K_4 = \frac{(E_1 - E_2) v^2}{2(H_1 - H_1)}$ K4—the constant exchange coefficient above A; R3, E3—time dispersion for the fait and sevent experiment with the heights II and II of or the release of the particles, assuming that II and anore complicated solution is found for the case when one of the release, heights is below a Subject Bladings I. Rathenge coefficient 2 Turbulessee observations. I. III (dip. M.1.—K.d.)
J. 5.6-160 Gaudin, L. S. and Dubov, A. S., Ob opredelejail thocas koeditalents peremetablically typestor a Bonneshen'u arbitudenila and rasselantem vicinien padenila itlanhelyth, chaliff, the particle of the variation with height of the exchange exclinion with the aid of servations on the dispersion time of aettling of heavy particles.] Heinterad, Glainzell, Gosfaichestain Observations (1618), 93-101, 1948. Series, 4? eds. Disc.—Weiner proposed to observe the standard deviation of the lalling time is heavy particles in order to compute the magnitude of the exchange coefficient, assuming a linear variation with height lift. The authors applied this appreach to a model, where the exchange coefficient (4) is contained above a certain level (h), solving the differential equation \[\frac{d_1}{d_1} \frac{\particle q}{\particle R} \frac{\particle q}{\particle Q} \frac{\particle Q}{\par
S. 6-160 Sand Duboy, A. S. Ob opredestinil thous keedsteining peremistic States Sandin, L. S. and Duboy, A. S. Ob opredestinil thous keedsteining peremistic States Sandin, L. S. and Duboy, A. S. Ob opredestinil thous keedsteining peremistic States Sandin, L. S. and Duboy, A. S. Ob opredestining the particles of the exchange coefficient with the advocation of the capture of the exchange coefficient in the sanding states Sandin Stat
J. 5.6-160 Gandin, L. S. and Dubay, A. S., Ob opredefaul knode koefteinia permitsharealle, it viscor s' gontsanch'in nablindentia ned rasselantem vicinia padentia itarhetykh charitti. [Determination of the variation with height of the exchange oscillated with the ask of our evaluations on the dispersion time of settling of heavy particles. [Lawingrad, Glassell, Septimental Configurations of the standard deviation of the saling time is heavy particles in onthe in proposed to observe the standard deviation of the falling time is heavy particles in onthe in proposed to observe the standard deviation of the falling time is heavy particles in onthe in proposed to observe the standard deviation of the falling time is heavy particles in onthe in the proposed to observe the standard deviation of the falling time is heavy particles in onthe in the proposed to observe the standard deviation of the falling time is heavy particles in onthe in the proposed of the exchange coefficient, assuming a linear variation with height (R) is contained above a certain level (h), solving the differential equation $\frac{dq}{dt} = \frac{dq}{ds} = \frac{dq}{ds} (Z \ge h)$ [E.—E.) v. [E.—E.] v. [E.—E
J. 5.6-160 Gaudin, L. S. and Duboy, A. S., Ob opredelenii knoda koedisienta peremeshidarila in yysofor a homeoshediu mabliudeniia nad rasseiantem vrousen padentia itarhetykh chaitit. [Determination of the variation with height of the exchange republicient with the ask of of servations on the dispersion time of metaling of heavy particles.] Leaingrad Gaussia. [Gasfaichestato Observe the standard deviation of the falling time of heavy particles in order. It proposed to observe the standard deviation of the falling time of heavy particles in order. It compute the magnitude of the exchange coefficient, assuming a linear variation with bright (t). The authors applied this approach to a model, where the exchange coefficient (t) is contacted above a certain level (t), solving the differential equation. $\frac{dq}{dt} = \frac{d^2}{dt} = K \frac{d^2}{dt} (2 \ge k)$ [Q(x,t)—concentration of the particles (balloons); t—time; t—critical fall velocity of the particles. Combining their solution with I/Joint's tesults for the layer near the ground, the authors obtain: $K_3 = \frac{(E_1 - E_2) e^2}{2(H_1 - H_2)}$ [K_4—the constant exchange coefficient above h; R ₁ , E ₂ —time dispersion for the faits and sevent experiment with the heights H, and H ₂ for the release of the particles, assuming that H and H and the complicated solution is found for the case when one of the particles, assuming that H and H and the complicated solution is found for the case when one of the releasing heights in Below k, Subject Headings: I. Relange coefficient: 2. Turbulence observations. I. II/Jdis, M. I.—K. A.
J. 5.6-160 Caudin, L. S. and Duboy, A. S., Ob opredelenti thoda koefisions peremishibited in the second problem of the variation with height of the exchange coefficient with the set of constitution of the variation with height of the exchange coefficient with the set of constitutions on the dispersion time of settling of heavy particles.] It is suffered to the exchange to constitution of the proposed to observe the standard sleviation of the falling time of heavy particles in order to compute the magnitude of the exchange coefficient, assuming a linear variation with height (b). The authors applied this approach to a model, where the exchange coefficient (k) is constant. The authors applied this approach to a model, where the exchange coefficient (k) is constant above a certain level (h), solving the differential equation $\frac{dq}{dt} = \frac{dq}{ds} = \frac{dq}{ds} \left(2 \frac{ds}{ds} \right)$ of the particles. Combining their solution with Humbres could for the layer inter the ground, the authors obtain: $K_0 = Combining their solution with Humbres of the layer inter the first and strend experiment with the heights H1 and H2 for the release of the particles, assuming that H 1 is a complex in bound for the case when one of the releasing heights in below h. Subject Headings: 1. Exchange coefficient 2. Turbulence observations. I. Hidle, M. I.—A. A. Subject Headings: 1. Exchange coefficient 2. Turbulence observations.$
5.6-160 Gandin, L. S. and Duboy, A. S., Ob opredejanil bloods keedistents peremetablealls of the subject of general constant continuous mathideenita and respectable through the said of the exchange coefficient with the said of observations on the dispersion time of settling of heavy particles. I Learning Claimed Galaxies Observations on the dispersion time of settling of heavy particles. I Learning Galaxies Glaimed Galaxies Trady, 16(78):93-101, 1949. 8 refs. 42 cos. Full C-10/full Compute the magnitude of the exchange coefficient, assuming a linear variation with height (b). The authors applied this approach to a model, white the exchange coefficient (k), solving the differential equation $\frac{dq}{dt} = \frac{dq}{dt} = K \frac{dq}{dt} (2 \approx k)$ Q(x,t)—concentration of the particles (balloons); t—time; t—critical fall velocity of the particles. Combining their solution with Ition's results for the layer near the ground, the authors obtain: $K_1 = \frac{(E_1 - E_2) v^3}{2(I_1 - I_1)}.$ K2—the constant exchange coefficient above A; B ₁ , E ₂ —time dispersion for the fast and strend experiment with the heights II and IIs for the release of the particles, assuming that II] A more complicated solution is found for the case when one of the releasing heights is helood k. Subject Headings: 1. Extensing coefficient: 2. Turbulence observations. I. III disp. M. I.—A. I.
5.6-160 Gaudin, L. S. and Duboy, A. S., Ob opredelenti knocks keedtelents peremetable at the property of the continuous of the variation with height of the exchange coefficient with the side of coefficient coefficient (a) particles in united in the section of the coefficient (b) and the exchange coefficient (c) and the exchange coefficient (c) is contained authors applied this approach to a model, where the exchange coefficient (k) is contained at the particles (balloons); t-time; t-critical fall velocity of the coefficient (c) is contained at the particles (balloons); t-time; t-critical fall velocity of the coefficient (c) is contained to the particles (balloons); t-time; t-critical fall velocity of the coefficient and strend of the particles (balloons); t-time; t-critical fall velocity of the coefficient above A; R_1 , R_2 —time dispersion for the fall and the particles assuming that II is correctly and II is the constant exchange coefficient above A; R_1 , R_2 —time dispersion for the fall and R_2 to the release of the particles, assuming that II is correctly and II is the correctly of the critical solution is found for the case when one of the particles, heights in helps to be complicated solution is found for the case when one of the releasing heights in helps to be constant.
in, L. S. and Dubay, A. S., Ob opredcient khoda koeftsienta porempehiaenta, promesheh'tu nabliudenta nad rasselantem vrouten padentia ilazhetykh chaitti, tation of the variation with height of the exchange coefficient with the abi of of on the dispersion time of settling of heavy particles. Testingrad. Glaitself, to observe the standard deviation of the falling time is heavy particles in unit; the magnitude of the exchange coefficient, assuming a linear variation with height (this ors applied this approach to a model, where the exchange coefficient, assuming a linear variation with height (this ors applied this approach to a model, where the exchange coefficient (R) is contained ertain level (h), solving the differential equation $\frac{dq}{dt} = \frac{v_0}{dz} = K \frac{\partial q}{\partial z} \left(Z \leq h\right)$ necentration of the particles (balloons): t—time; t—critical fall velocity of the Combining their solution with Hubin's results for the layer near the ground, the blain: $R_a = \frac{(E_1 - E_2) v^2}{2(H_1 - H_3)}$ constant exchange coefficient above h; R ₁ , E ₂ —time dispersion for the first and strend at with the beights H ₁ and H ₂ for the measa of the particles, assuming that H ₂ is omplicated solution is found for the case when one of the releasing heights in both to a complicated solution is found for the case when one of the releasing heights in both to a complicated solution is found for the case when one of the releasing heights in both to a complicated solution is found for the case when one of the releasing heights in both to a complicated solution is found for the case when one of the releasing heights in both to a complicated solution is found for the case when one of the releasing heights in both to a complicated solution is found for the case when one of the releasing heights in both to a complete the case when one of the releasing heights in the first and the solution is found for the case when one of the releasing heights in the first and the solution is found for the case when one of the releasing heights in the fir
S. and Duboy. A. S. Ob opressed in those keeds seems present the second of the particle of the exchange coefficient with height of the exchange coefficient with the set of coefficient the description of the set of heavy particles. I Learnered. Gluised to the description of the falling time of heavy particles in order in particles of the sechange coefficient, assuming a linear variation with heigh (16). Some of the exchange coefficient, assuming a linear variation with heigh (16). Some of the exchange coefficient above the exchange coefficient (K_1) is contacted in level (K_2), solving the differential equation $\frac{d_1}{d_1} = \frac{d_2}{d_2} = K \frac{d_3}{d_3} (Z \ge k)$ tration of the particles (balloons); is—time; is—critical fall velocity of the minimization with IUom's results for the layer near the ground, the set of the set of the particles and K_3 for the release of the particles, assuming that if it is increal solution is found for the case when one of the release of the particles, assuming that if it is increal solution is found for the case when one of the release of the particles, essenting that if it is increal solution is found for the case when one of the release of the particles, essenting that if it is increal solution is found for the case when one of the release of the particles, in eight is the look in the solution is found for the case when one of the release of the particles, in eight is the look in the solution is found for the case when one of the release of the particles. I is in the solution in the fact of the particles in the solution is found for the case when one of the release of the particles in the solution is found for the case when one of the release of the particles. I is in the solution in the fact of the particles in the solution is found for the case when one of the particles in the so
and Duboy. A. S. Ob ogre-felenti khoda koefitelenia poremyshidenila in this mabiliadenila nad rasselaniem vremen padenila ilazhetykh chatiti, the variation with height of the exchange coefficient with the add of dispersion time of actiting of heavy particles. I **Lexingrad.** Glaired I **Lexing
Duboy, \triangle S. Ob opredelessis knows keedtelessa parementation in the same and casses and the exchange coefficient with the sation of the exchange coefficient with the sation of the section of the exchange coefficient, assuming a linear variation with height of the falling time of heavy particles. I Leadingrad. Classes the exchange coefficient, assuming a linear variation with height (it. its approach to a model, where the exchange coefficient (it.) is approach to a model, where the exchange coefficient (it.) is constant. As a model, where the exchange coefficient (it.) is constant. As a model, where the exchange coefficient (it.) is constant. As a model, where the exchange coefficient (it.) is constant. As a model, where the exchange coefficient (it.) is constant. As a model, where the exchange coefficient (it.) is constant. As a model of the particles (it.) is constant. As a model of the particles (it.) is constant. As a sum of the particles (it.) is constant. As a sum of the particles (it.) is constant. As a sum of the particles, assuming that II is obsided in an all it is a sum of the particles, assuming that II is obtained in the case when one of the releasing heights is below to a sum of the particles, assuming that II is obtained to the case when one of the releasing heights is below to a sum of the particles, assuming that II is a sum of the particles, assuming that II is a sum of the particles, assuming that II is a sum of the particles, assuming that II is a sum of the particles, assuming that II is a sum of the particles, assuming that II is a sum of the particles, assuming that II is a sum of the particles in below to the sum of the particles in the sum of the particles i
where A is a constant of the exchange coefficient with height of the exchange coefficient with height of the exchange coefficient with the sat of of some of setting of heavy particles. I caning ad. Glaired L. S. Trady, 16(18)-93-101, 1949. 8 refs., 42 eq. MLC—There is an and set set of the falling time of heavy particles in order it in the exchange coefficient, assuming a linear variation with height (16), approach to a model, where the exchange coefficient, assuming a linear variation with height (16), approach to a model, where the exchange coefficient (K) is contacted and the fifteential equation $\frac{d_1}{d_1} = \frac{d_2}{d_2} = K \frac{d_3}{d_3} (Z \ge h)$ the particles (balloons): I —time: I —critical fall velocity of the eigenful of the layer near the ground, the circal fall of the layer near the ground, the $K_1 = \frac{(E_1 - H_2) e^2}{2(H_1 - H_3)}$. The coefficient above h ; R_1 , E_2 —time dispersion for the first and sevent that I and I for the release of the particles, assuming that I I is then is found for the case when one of the release of the particles, described in the first and sevent ange coefficient. 2. Turbulence observations. L. I
1.55 53 1.5
A. S. Ob open-felenii khoda koefitsienia peremeshaženila ilenia nad rasseianiem vrenien padeniik ilashetykh chaitit, a with height of the exchange coefficient with the až of comme of setting of heavy particles. I lavingrad. Glutse it rady, 16(78)-93-101, 1949. 8 rels., 42 eq. 21.C.—[Uric] and deviation of the falling time be heavy particles in order its exchange coefficient, assuming a linear variation with height (hi ach to a model, where the exchange coefficient (R) is contained at the differential equation $\frac{d_1}{d_1} = \frac{\partial}{\partial z} = K \frac{\partial g}{\partial d} (Z \geq h)$ sattleles (balloons); t —time; t —critical fall velocity of the lation with IUDM's results for the layor near the ground, the $K_1 = \frac{(E_1 - E_2) v^2}{2(II_1 - II_1)}$. flicient above h ; H , E_2 —time dispersion for the fatt and strend H for the release of the particles, assuming that H is found for the case when one of the releasing heights is belon k coefficient 2. Turbulence observations. In IUdis, M , L — K , M
S. Ob opredelent thools keedtelents peremetalized by the second of the exchange coefficient with the six of the exchange coefficient with the six of the of setting of heavy particles. I Lewingrad. Glaired by 16(78):93-101, 1949. 8 refs., 42 eqs. MLC
5.51.5311 3. Ob opre-felenti inhoda keeftsienta peremeshi 5.6111 In height of the exchange coefficient with the said of of of actiling of heavy particles.] Leavingrad. Glaited 1. 16(78)-93-101, 1949. 8 refo., 42 eq. 20.0.—100 c viviation of the falling time of heavy particles in outly for a model, where the exchange coefficient (K) is contacted a differential equation. $ \frac{d}{dt} = \frac{\partial q}{\partial x} = K \frac{\partial q}{\partial x} (2 \frac{\partial q}{\partial x}) $ les (balloons): t —time; t —critical fall velocity of the a with 100m's results for the layer near the ground, the t with 100m's results for the layer near the ground, the t of the roless of the particles, assuming that t is do the case when one of the releasing heights is below to the other case when one of the rolessing heights is below to the 2. Turbulence observations. In 104 kg is t in t in t in the layer observations.
Ob oprescient knoda koeftsienta perempektäenia is astasselaniem vremen padeniki ilashetykh chantii, height of the exchinge coefficient with the sid of observation of the exchinge particles.] Leningrad. Glaise il. [16(78)-93-10], 1949. 8 rels., 42 eqs. NLC.—White axisos of the falling time of heavy particles in outh; it is excellent, assuming a linear variation with height (it) a model, where the exchinge coefficient (R) is contast differential equation. $-\frac{2q}{2} = \frac{R}{2} \frac{3q}{2} \left(Z \geq k\right)$ (balloons): I —time: k —critical fall velocity of the with Humble results for the layer near the ground, the with Humble results for the layer near the ground, I is I . I is the ruleass of the particles, assuming that I is for the cases when one of the releasing heights is belon k ont 2. Turbulence observations. In I is I ,
b ogredelenii khoda koesteinia peremestraenila ili ili rasselaniem vreunen padeniia ilizahelykh chatitit, ight of the exchange coellicient with the add of creating of heavy particles. I Teningrad. Glastelle (1990) of the Isling time is heavy particles. I MIC-IVING (1990) of the Isling time is heavy particles in outer to coefficient, assuming a linear variation with heigh (the model, where the exchange coefficient (R) is contacted exemple and the exchange coefficient (R) is contacted exemple of the particles of the layer man the ground, the in IUDIN's results for the layer man the ground, the (E:-E:) v.
opredelenii khoda koefitsienia poremiedoženila ili sasseinilem vrenien padeniik ilashetykh chaitti, ht of the exchange coefitriene with the asi of colling of heavy particles. I lavingrad. Glaised il 19.93-101, 1940. B rele, 42 eq. 20.0.—[Urie] of the falling time be heavy particles in order its flicient, assuming a linear variation with height (hi sale), where the exchange coefficient (k) is contained ential equation. 2 - K \frac{3}{3} \left(\hat{2} \hat{k} \hat{b}) 3 - K \frac{3}{3} \left(\hat{2} \hat{k} \hat{b}) 4 - K \frac{3}{3} \left(\hat{2} \hat{k} \hat{b}) 5 - K \frac{3}{3} \left(\hat{2} \hat{k} \hat{b}) 5 - K \frac{3}{3} \left(\hat{2} \hat{k} \hat{b}) 6 - K \frac{3}{3} \left(\hat{k} \hat{k} \hat{b}) 6 - K \frac{3}{3} \left(\hat{k} \hat{k} \hat{k} \hat{b}) 7 - \frac{3}{3} \left(\hat{k} \
redelenti khoda koestelenia pozemjesteženila u selaniem vreniem požemila itarhetyku chaiti. of the exchange coefficient with the axi's of the policy particles. I Lewingrad. Claimed 193-101, 1949. 8 rcis., 42 eqs. MLC.—Where of the falling time of heavy particles in unit; to cient, assuming a linear variation with height (61), where the exchange coefficient (K) is constant that equation $ A A A A A A A A A A A A A A A A A A $
felanti khoda keedtsienta peremeekidenila usalaniem vennen padenila ilantem vennen padenila ilantelykh chattiti. the exchange coellicient with the sad of ondo is heavy particles. I Leanigrad. Glaised is of heavy particles. I Leanigrad. Glaised is one has been at 2 eas. BLC—West in failing time of heavy particles in order in a fail assuming a linear variation with height (the whate the exchange coelficient (R) is contacted to quantum and section of the exchange coelficient (R) is contacted to quantum and section of the particles and section of the particles, assuming that II is use when one of the releasing heights in helps when one of the releasing heights in helps turbutence observations. It fills, M.L.—A.A.
is it is those keedts in a peremeth he all such the exchange coefficient with the sat of closed he exchange coefficient with the sat of closed he heavy particles.] Leningrad. Glatzell 101, 1940. 8 rels., 42 cas. ILC.—Were a falling time of heavy particles in order its a falling time of heavy particles in order its a falling time of heavy particles in order its a falling time of heavy particles in order its a falling time of heavy particles in order its a falling time of heavy particles in order its a fall velocity of the fall velocity of the same of the layer near the ground, by the content of the layer near the ground, in the same of the particles, assuming that II is a when one of the releasing heights in below a when one of the releasing heights in below a bulence observations. In 1946, M. I.—A. A.
iil khoda koeftsienia poremeshiženia, ii kom vremen padeniik ilasheiski chasiti. m vremen padeniik ilasheiski chasiti. exchange coeficient with the aid of chasy particles. I lesingrad. Glaiseli. 1040. 8 rels., 42 eq. BLC-Wire chasiti is assuming a linear vzriztion with height (h) re the exchange coefficient (K) is contested aution. AAA-4. I—time: b—critical fall velocity of the results for the layer near the ground, the lesing of the particles, assuming that II is and strend case of the particles, assuming that II is a lance observations. I Ifdis M.I.—A.I.
hhods koodtsienia poremieshiaenila us vrennen padenila ilashetykh chastit vrennen padenila ilashetykh chastit kehange cycliciene with the sais of coayy particles. I favingrad. Glaise il 1949. 8 refs. 42 eqs. BLC—IUrs inning a linear variation with height (hi inning a linear variation). AAA 4
ined koestelenia perempetricenila in tennen padentia itarhetykh chaitti ininge coellicitent with the act of copy particles. I Leangrad. Claired it in the particles. I Leangrad. Claired it in the particles in control in the layer in the ground, the interest in the ground, the interest in the ground, the control in the layer in the ground, the layer in the ground in the ground in the layer in the ground in the g
is koofisients peremedutients in a patential attential per prelibitors with the six of old particles. I teningrad. Claired in particles in more risk ga ilisein variation with height (i) exchange coefficient (ii) is contact. a: v—critical fall velocity of the for the layer near the ground, the for the layer near the ground, the second in the particles. Assuming that II is the particles.
koefitsienta peremieksäella is ya nadenlik ilashelykh chastit. padenlik ilashelykh chastit. posellicient with the ais of oh ya uteleis. J. Leningrad. Glatiscit. B relo., 42 cq. Lilc.—Wise to be used as ya uteleis. J. Leningrad. Glatiscit. linear variation with hrigh (klithing coefficient (K) is contact. Landy A. 44. te-critical fall velocity of the relief layor near the ground, the layor near the ground.
sediciona porementificalla acceptada de la constitución de la constitu
dentia (lathetykh chaitti lifurient with the add of or- en.) Leningrad. Glaitech [5., 42] eqs. McC-(Un) [6., 43] eqs. McC-(Un) [6., 43] eqs. McC-(Un) [6., 44] eqs. McC-(Un) [6., 44] eqs. McC-(Un) [6., 45] eqs. McC-(U
identa pozemieda ženila u pri i danienik i d
is that beyond the second of t
techneych chaitti. tlathetych chaitti. with the six on on- eningrad. Glusses to equ. 21.C-11/pre particles in units: in a stion with height (thi ciccat (H) is contain. AAAA 4 fall vetselay of the inear the ground, the is the faist and sive in assuming that II I is essenting that II I is essenting that II I is essenting that II is essenting the lead to the single content of the conten
substitute the six of the substitute of the six of the six of the substitute of the
emish chaitlit, the selection of comments of chait of comments of chait of
sets See all a start sta
he cheffel is a six of the cheffel is a six of one of the cheffel is a six of one of the cheffel is a six of the cheffel is a
Cheulti. Cheutit. Cheutit. Set vol. Set vol. Cheutit. Set vol. Set
eal and
2







GANDIN, L.S.

Mathematical Reviews Vol. 14 No. 7 July - August, 1953 Analysis. Gandin, L. S., and Solovelčik, R. E. On the theory of evaporation for a bounded water-basin. Doklady Akad. Nauk SSSR (N.S.) 86, 55-57 (1952). (Russian)

Dans l'étude de ce problème les prédetesseurs de Gandin and Solovelčik n'ont pas tenu suffisamment compte de plusieurs facteurs importants; on a supposé sans raison le coefficient d'échange indépendent d'altitude, on a donné une forme insuffisamment générale aux conditions à la limite et on n'a pas tenu compte de brassage turbulent horizontal. Les auteurs donnent à l'équation fondamental la forme

(1)
$$u\frac{\partial q}{\partial x} = K_r \frac{\partial^2 q}{\partial x^2} + K_u \frac{\partial^2 q}{\partial y^2} + \frac{\partial}{\partial z} \left(K_r \frac{\partial q}{\partial z} \right)$$

avec q "humidité spécifique, $u \circ u_1 z^*$ vitesse de vent (dirigé suivant l'axe X), $K_1 \circ K_{t1} z^*$, $K_2 \circ K_{y1} z^*$, $K_3 \circ K_{y1} z^*$, $E_4 = K_{t1} z^*$ coefficients d'échange suivant les axes de coordonnées, K_{x1} , K_{y1} , K_{x2} , Y_1 constantes données, m, n nombres rationnels. La concentration de vapeur sur la surface d'eau vérifie les conditions limites: $q = F(x, y^*; q \text{ limité à l'infini. Les auteurs donnent la solution effective du problème sous la forme intégrale, comportant les fonctions <math>V$, A, Kostitzen.

CIA-RDP86-00513R000614220005-1 "APPROVED FOR RELEASE: 09/17/2001

BANDIN, LEV SEMEROUSCH 14 PHASE I BOOK EXPLOITATION Gandin, Lev Semenovich; Laykhtman, David L'vovich; Matveyev, Leonid Tikhonovich; and Yudin, Mikhail Isaakovich

Osnovy dinamicheskoy meteorologii (Principles of Dynamic Meteorology) Leningrad, Gidrometeoizdat, 1955. 646 p. 4,000 copies printed.


Ed. (title page): Laykhtman, D. L., Professor, and Yudin, M. I., Professor; Responsible Ed.: Pyatygin, K. V.; Ed. (inside book): Vlasova, Yu. V.; Tech. Ed.: Soloveychik, A. A.


This book, which is a treatise on dynamic meteorology developed by the author in the course of lecturing at various universities, is PURPOSE: intended as a textbook for meteorology students of vuzes and as a handbook for specialists in the field of meteorology and climatology.


COVERAGE: The book examines the basic methods of dynamic meteorology, making extensive use of mathematical treatment in analyzing the physical processes taking place in the atmosphere. The latest developments


Card 1/13.


e e e e e e e e e e e e e e e e e e e	经过速度过度设计量的 经支撑运动 医多克勒氏征 医水中分泌 医小丘脑 一种中国由于由于中国和国土的的国际和国际国际和国际政策的	<u>यस्य व्यक्तसाराम् स्थारम् । स्थापत्रस्यमार्थारम् । इत्याप्तरम् । यस्यारम् । स्थापत्रमारम् । स्थापः</u>	
			23.079.2
,	Principles of Dynamic Meteorology	14	
- 1·	in this branch of meteorology are presented. Chap by S. I. Titov and A. S. Dubov, respectively. The 43 Soviet, 13 English and 9 German.	ters VII and X were written re are 65 references,	
	TABLE OF CONTENTS:		
	Preface	3	
	PART I. GENERAL PRINCIPLES OF ATMOSPHER	ic dynamics	
	Ch. I. Basic Equations of Atmospheric Dynamics	5	
	1. Subject and method of dynamic meteorology	5 . 5 6	
	2. The atmosphere as a uniform medium	6	
	3. Forces acting in the atmosphere	9	
	4. Equations of motion	19	
	5. Equations of continuity	22	
	6. Law of conservation of energy in mechanical	and	•
	thermodynamic systems	23	
	7. Principle of atmospheric turbulence. Equat	ions of	
	turbulent motion	33	
	Card 2/ 13		
	Card 7 13	. •	
	u		
		· ·	
			•
	The state of the		
REAL PROPERTY	i sant i iuli kishili i ililalik ilililililililililililililililililil		inisali: luir 111.4 (22).











SOV/124-57-9-10503

Translation from: Referativnyy zhurnal, Mekhanika, 1957, Nr 9. p 88 (USSR)

Gandin, L.S., Soloveychik, R.E.

AUTHORS:

A Generalization of the Transformation Theory of Evaporation (Obobshcheniye transformatsionnoy teorii ispareniya) TITLE:

Tr. Leningr. gidrometeorol. in-ta, 1956, Nr 5-6, pp 248-262 PERIODICAL:

It is noted that the currently developed transformation hypotheses of the theory of evaporation take into consideration the heat flux ABSTRACT:

reaching the evaporating surface that is expended on evaporation and on turbulent-heat transfer into the air, as well as the dependence of the saturation humidity on the temperature of the evaporating surface. These schemes, however, do not take into consideration the turbulent heat exchange in the water basin, such exchange being connected with the accepted assumption of the steady-state nature of the transformation processes. This leads to an overrating in the calculated evaporation values in the warm seasons of the year and to their underestimation during the cold seasons. The paper proposes a generalization of the theory which jointly solves the equations of the convective dif-

fusion of heat and humidity in the air and the equations of the Card 1/2

CIA-RDP86-00513R000614220005-1" **APPROVED FOR RELEASE: 09/17/2001**


SOV/124-57-9-10503

'A Generalization of the Transformation Theory of Evaporation

turbulent heat exchange in the water at a given rate of humidity and temperature variation with respect to elevation and time above the shoreline, with a given condition of moisture saturation in the air at the evaporating surface (assuming that the temperature of the air and the water at that surface coincide) and at a given heat balance of the underlying surface. It is also assumed that the surface layer of the air is "quasistationary" and that its vertical air-and-moisture currents are constant with respect to altitude, while in the upper layer of the air the turbulent exchange coefficient and the air velocity are constant with altitude. The solution is being sought under the assumption that the deficit of the specific humidity at the surface of the dry land and the difference in the flows of shortwave radiation absorbed by the surfaces of the water and dry land, respectively, are prescribed periodic functions of time. Solutions for the temperature and humidity of the air and for the temperature of the water are being sought in the form of Fourier series with respect to time, while the equations for the amplitudes of Fourier's harmonics are solved with the help of a Laplace transform along the horizontal coordinate. The solution obtained is analyzed in detail. Numerical examples are not submitted.

A. S. Monin

Card 2/2



USSR / Atomic and Molecular Physics. Heat

D-4

Abs Jour : Ref Zhur - Fizika, No 4, 1957, 9020

Author: Gandin, L.S., Soloveychik, R.E.

Title : Distribution of Heat in an Infinite Medium in the Presence

of a Flat Separation Boundary.

Orig Pub : Zap. Leningr. gorn. in-ta, 1956, 33, No 3, 205-212

Abstract : No abstract.

ENN.

Card : 1/1

sov/36-56-60-2/10

AUTHOR:

Gandin, L. S. and Soloveychik, R. E.

TITLE:

Temperature Changes with Advection (O periodicheskom khode

temperatury pri nalichii ađvektsii)

PERIODICAL:


Trudy Glavnoy geofizicheskoy observatorii, 1956, Nr. 60, pp 23-31 (USSR)

ABSTRACT:

The author discusses a simple physical scheme in considering the effects of turbulent transformation of air masses on the daily rate of temperatures. The velocity of wind, the coefficient of turbulence in the atmosphere, and the coefficient of thermoconductivity are constant. The mathematical formulation and solution of the problem are given together with a numerical example. The text includes 2 figures.

There are no references.

Card 1/1



Exadin C.S.

156

AUTHORS:

Shleneva, M. V. Gandin, L. S., Laykhtman, D. L., Sopots'ko, Ye.A.,

TITLE:

Problems in Dynamic Meteorology (Zadachnik po dinamicheskoy

meteorologii)

PUB. DATA:

Gidrometeorologicheskoye izdatel'stvo, Leningrad, 1957,

182 pp., 3000 copies.

ORIG. AGENCY:

None given

EDITORS:

Laykhtman, D. L., Professor; Vlasova, Yu. V.; Tech. Ed.:

Braynina, M. I.

PURPOSE:

The book serves as a textbook for meteorological departments of

hydrometeorological institutes.

COVERAGE:

The problems and their solution comprise the practical exercises for a course in dynamic meteorology. The problems are grouped in specific units as can be seen from the table of contents. Explanatory notes are attached to every chapter and some basic data necessary for solving the problems are inserted at the end.

Author mentioned: Ludin, M. I. There are no references.

Curd 1/7

		•	156
Problems	in Dynamic Meteorology (Cont.)	Problem	Pag
TABLE OF	COMPENTS:	numbers	5
Ch. I.	Basic Characteristics of Meteorological Fields	1-106	1
1.	Calculating gradients of meteorological elements and their components	1-21	5
	Connection between total and partial time derivatives	22-37	9
3.	Evaluation of the orders of magnitude of meteorological elements and their derivatives	38-63	11
١,	Divergence and vortex of velocity of wind	64-91	13
4. 5.		92-106	17
Card 2/	7		

•	•		156	
•		Denda Matagralogy (Cont.)	1,00	
	Problems	in Dynamic Meteorology (Cont.) Thermodynamic Processes in Dry Air	107-170	19
		First principle of thermodynamics	107-120	1.9
	2.	Adiabatic and polytropic processes in the atmosphere	121-138	21
	3.	Conditions of vertical stability in the atmosphere	139-148	23
	4.	Level of convection	149-153	25
	5.	and the sir	154-162	26
	6.	Entropy of the air	163-170	27
	Ch. III.		171-242	28
	1.	Relation between the saturating vapor and temperature (Clausius-Clapeyron equation)	171-180	28
	2.	Variation of thermodynamic condition of humid air, Condensation level	181-193	3 0
	Card 3/7			

_	s in Dynamic Meteorology (Cont.)	156	5
Problem:		194-218	31
y. 4.	the set thermodynamic analysis of	219-242	35
Ch. IV.	Radiative Energy	243-255 256-329	38 43
Ch. V.	Statics Barometric formulae. Reducing pressure to sea level	256-288	43 47
2. Ch. VI	. Geopotential and its application . Wind in Free Atmosphere . Geostrophic wind	289-329 330-420 330-341 342- 361	51 52 53
2 Card			

	,	
	156	
Problems in Dynamic Meteorology (Cont.)	362 - 392	55
 Geostrophic temperature advection Vortex of a geostrophic wind 	393-404	59
4. Vortex of a geostrophic wind 5. Ageostrophic deflections	405-414 415-420	61 62
6. Gradient wind Ch. VII. Wave and Separation Surface	421-475	64
Ch. VII. Wave and Separation Surface 1. Boundary surface	421-437 438-455	64 67
2. Gravitational waves	456-475	69
 Inertia waves Ch. VIII. Non-periodic Pressure and Temperature Variations 	476-535	71 71
1. Extrapolation methods of advance calculation	476-496 497 - 515	75
2. First approximation in the Kibel theory 3. Application of the vortex equation	51 6- 535	79
Card 5/7		

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000614220005-1 and the state of t

obler	us in Dynamic Meteorology (Cont.)	156	
. IX.	Near-surface Atmospheric Layer	536-581	Ę
1.	Equilibrium conditions - absence of vertical heat flow	536-551	8
2.	Exponential law in the absence of equilibria	552 - 566	8
	Logarithmic law in the absence of equilibria	567 - 581	8
. X.	Atmospheric Boundary Layer	582-674	9
1.	Wind variation with height in boundary atmosphere layer (Ekman spiral)	582-593	9
2.	Determining the coefficient of turbulence	594-600	9
3.	Determining vertical currents	601-612	9
4.	Diurnal temperature rate	613-623	9
5•	Advance-computation of night-temperature rate	624-648	9

Problems in Dynamic Meteorology (Cont.)		156
6. Advance-computation of the radiative temperature drop	649-651	103
7. Transformation of temperature and moisture fields above water		
	652 - 655	106
8. Evaporation from a limited water surface	656-674	107
Ch. XI. Atmospheric Energetics and Circulation	675-693	109
1. Atmospheric energetics	675-683	109
2. Circulation theorem	684-693	111
Appendices to the "Problems"		113
Answers to Problems		162
AVAILABLE: Library of Congress (QC 156.127)		102
urd 7/7		
, .		

AUTHOR: Gandin, L. S. 49-3-14/16

TITIE: On the stability of waves at the surface of division of flows which are at an angle to each other. (Ob ustoychivosti voln u poverkhnosti razdela potokov, napravlennykh pod uglom drug k drugu).

PERIODICAL: "Izvestiya Akademii Nauk, Seriya Geofizicheskaya"
(Bulletin of the Ac.Sc., Geophysics Series), 1957, No.3,
pp.407-410 (U.S.S.R.)

AESTRACT: This problem was first investigated by Sretenskiy, L.N.(1) who pointed out its possible importance in meteorology.

Later Kochina, I.N. (2) studied the flow of waves around barriers in such a two-layer medium. In this paper the case of progressive waves is considered, paying main attention to analysing their stability. The results are not directly applicable to meteorology problems since the limitation of incompressibility and particularly of uniformity of each layer of the liquid is not adequately valid in the atmosphere and, in addition, the turbulent viscosity is of appreciable importance near to the surface of division.

Carl 1/2 In the calculations the density and the horizontal speed component of the main flow in the top medium and the bottom medium are assumed constant and the vertical dimension of

49-3-14/16

。 - 1985年 - 1986年 -

On the stability of waves at the surface of division of . flows which are at in angle to each other. (Cont.)

each of the layer is assumed infinite and the influence of viscosity and of the Coriolis force are disregarded. Theoretical analihis shows that two mutually perpendicular straight lines exist, one of which corresponds to maximum instability, whilst the other corresponds to maximum stability. For intermediate directions of wave propagation the range of unstable wave length is not zero but it is below the maximum value. If the main flows are co-linear, those waves will be the most unstable which propagate in a direction co-lipar with these flows, whilst those propagating in a perpendicular direction will always be stable. If the speeds of the main flows are the same, the waves propagating in the direction of the bisectrix of the angle between the directions of the main flows will always be stable, whilst the most unstable will be the waves which propagate in a direction perpendicular to that bisectrix. There are one figure and 2 Slavic references.

SUBMITTED: May 26, 1956 ASSOCIATION: Chief Geopysical Observatory imeni A.I. Voyeykov.

(Glavnaya Geofiz cheskaya Observatoriya im. A. I. Voyeykova).

AVAILABLE: Library of Cong v 88

Card 2/2

GANDIN, L.S.; DUBOY, A.S.

Qualitative analysis of the vortex equation, Meteor,i gidrol, no.4:36-37 Ap '57. (MLRA 10:5)

(Atmosphere)

GANDIN, L.S.; DUBOV, A.S.; SOLOV'YEV, V.A.

In the Vocikov Main Geophysical Observatory. Meteor. i gidrol.
no.8:70-72 Ag '57.

(Meteorology)

(Meteorology)

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000614220005-1

36-57 -69-2/16

AUTHORS:

Gandin, L. S. and Soloveychik, R. E.

TITLE:

A Theory of Evaporation Based on Horizontal Mixing (K teorii ispareniya

pri uchete gorizontal'nogo peremeshivaniya) (Part I)

PERIODICAL:

Trudy Glavnoy geofizicheskoy observatorii 1957, Nr 69,

pp 11-24 (USSR)

The authors examine the process of evaporation over a limited area and ABSTRACT: emphasize the necessity of accounting for the phenomenon of horizontal mixing, in addition to the usual consideration of vertical turbulence. The authors claim that horizontal intermingling is particularly effective in the near-surface layer of the atmosphere. O. G. Sutton and some Russian scientists, such as M. P. Timofeyev, are criticized for their failure to account for horizontal turbulence in their studies of evaporation rates. The authors believe that horizontal intermingling takes place with, as well as against the wind. The mathematical formulas deduced make it possible to calculate vapor concentration in the near-surface layer of air and thus explain the process of horizontal turbulence. Some of these ideas were suggested by A. M. Zhuravskiy. There are 2 figures and 7 references, of which 4 are Soviet and 3 English. This is the first of two articles on the subject of horizontal mixing.

AVAILABLE:

Library of Congress

Card 1/1

36--77-69-3/16

AUTHOR:

Gandin, L. S. and Soloveychik, R. E.

TITLE:

A Theory of Evaporation Based on Horizontal Mixing (K teorii ispareniya

pri uchete gorizontal'nogo peremeshivaniya) (Part II)

PERIODICAL: Trudy Glavnoy geofizicheskoy observatorii 1957.

Nr 69, pp 25-35 (USSR)

This is the second article on horizontal mixing and its role in the pro-ABSTRACT: cess of evaporation. The first article offers formulas for calculating vapor condensation over some given area of evaporation. The second article deals directly with the relationship of horizontal mixing to evaporation and offers a mathematical solution of the problem. The conclusion essentially is that the coefficients of wind velocity and those of horizontal intermingling depend 1 the altitude; the effect of horizontal mixing decreases with altitude, whereas the importance of vertical mixing increases. There are 3 references, of which 2 .re Soviet and 1 English.

AVAIIABLE:

Library of Congress

Card 1/1

CANDIN, LS.

36-71-12/16

AUTHOR:

Gandin, L. S.

TITLE:

Two-dimensional Linear Interpolation of Meteorological Data (O lineynoy interpolyatsii meteoroligcheskikh

elementov v dvukh izmereniyakh)

PERIODICAL: rudy Glavnoy geofizicheskoy observatorii

, 1957, Nr 71, pp. 163-168 (USSR)

The article is conjectural treatment of a problem in ABSTRACT: mathematical interpolation within certain limits for a single element. The average square error for such an interpolation is given and a case of two-dimensional interpolation such as barometric leveling is presented. Evaluation of errors by increasing the number of observations and adjusting them by the method of least squares is suggested. Simplified and adjusted formulas for structural functions of wind, temperature, and humidity are discussed. There is 1 figure and 3 USSR references.

AVAILABLE: Library of Congress

Ca2d 1/1

THE STANDARD BY PROXIBILITIES AND A CONTRACTOR OF THE STANDARD OF THE STANDARD

GANDIN, LS

PHASE I BOOK EXPLOITATION

sov/4581

Leningrad. Glavnaya geofizicheskaya observatoriya

- Vopresy dinamicheskcy meteorologii i teorii klimata (Problems in Dynamic Meteorology and the Theory of Climate) Leningrad, Gidrometeoizdat, 1958. 125 p. (Series: Its: Trudy, vyp. 76) Errata slip inserted. 1,300 copies printed.
- Sponsoring Agency: Glavnaya geofizicheskaya observatoriya imeni A.I. Voyeykova; Glavnoye upravleniye gidrometeorologicheskoy sluzhby pri Sovete Ministrov SSSR.
- Ed. (Title page): M.I. Yudin, Doctor of Physics and Mathematics; Ed. (Inside book): Yu.V. Vlasova; Tech. Ed.: M.Ya. Flaum.
- FURFOSE: This issue of the Transactions of the Main Geophysical Observatory is intended for dynamic and synoptic meteorologists and climatologists. It may also be used by students of these fields.
- COVERAGE: The collection of 9 articles deals with problems in dynamic meteorology, the theory of climate, and the forecasting of air temperature using elements of the thermohydrodynamic theory. A system of climatological regionalization for Gard 1/3

Problems in Dynamic Mateorology (Cont.)	sov/4581
the USSR is analyzed and recent pertinent dat No personalities are mentioned. References f	a in this regard shown graphically ollow each article.
EABLE OF CONTENTS:	
Gandin, L.S., K.V. Pyatygina, R.I. Onikul, V.M. Variation of Temperature in the Lower Layers of A	Pitov, and Z.M. Shafran. Daily tmosphere
Dubov, A.S., and G.V. Stolyarova. Experience in Using Hydrodynsmic Methods	Forecasting Temperature 30
Nubov, A.S. Influence of Mountain Ranges on the	Displacement of Cyclones 40
Sachurin, L.G. Relation Between Vertical Motion the Intensity of Precipitation From Frontal Stra	s in the Atmosphere and tiformis Clouds 50
Gandin, L.S. Formation of Turbulent Motions in F	ronts 61
Hakipova, L.R. Relation Between the Thermal Cur Temperature Anomalies	rents and Atmospheric 82
Card 2/3	

Problems in Dynamic Meteorology (Cont.)

Zubenok, L.I., N.A. Yefimova, and V.V. Mukhenberg. Data for the Division of the USSR in the Climatic Regions

Rozhdestvenskiy, A.A. Statistical Generalization of Mul'tanovskiy's Phase Method on the Basis of Circulation Indices

113

Arrago, L.R. Method for Solving the Atmospheric Diffusion Equation

120

AVAILABLE: Library of Congress

JA/dwm/gmp

12-16-60

3(7) AUTHORS:

Anapol'skaya, L. Ye., Gendin, L. S.

sov/50-58-10-2/20

TITLE:

Method of Determining the Rate of Wind Calculation for the Design of Wind Loads on Structures (Metodika opredeleniya raschetnykh skorostey vetra dlya proyektirovaniya vetrovykh nagruzok na stroitel'

nyye sooruzheniya)

PERIODICAL:

Meteorologiya i gidrologiya, 1958, Nr 10, pp 9-17 (USSR)

ABSTRACT:

The determination of the loads mentioned in the title is at present one of the most important problems of applied meteorology since the building of high constructions such as masts for television aerials, high-voltage lines etc. is in a rapid development. For their computation the wind load is one of the most significant parameters. Three complexes can be distinguished within the problem of loads: a) statistic rules in the distribution of strong winds on the earth's surface, b) the vertical profiles of strong winds, and c) bumpiness of the wind and its influence upon buildings. The present paper deals only with question a). In order to adjust the data concerning the wind on the earth's surface to the high-altitude wind the equation of the logarithmic profile of strong wind is used. As may be easily understood, in a design of a construction not the absolute maximum of wind velocity at the respective place (a value which is quite

Card 1/3

SOV/50-58-10-2/20

Method of Determining the Rate of Wind Calculation for the Design of Wind Loads on Structures

indefinite) is used as a calculation rate, but such a velocity that is rarely attained. In addition, the value of the rate of calculation must be different for different types of buildings according to their structural strength. The calculation rates provide reliable results only if they are based on very long series of observation. The vanes of many stations have recorded for many years velocities up to 20 m/sec only. Therefore the indirect method is interesting for the determination of the rate of wind calculation. One of the means available may be statistic extrapolation, which means application of the asymptotic laws of the theory of probabilities for the reconstruction of that curve section of wind velocity distribution which is related to high velocities, on the basis of the remaining section of the curve. Such a method is suggested by the authors. They applied the approximation of the distribution curve of high velocity values which is equal to that of reference 4. The function F(u)is approximated by equation (1) and after a double logarithmation of (1) the relation (2) is obtained. If the values of F(u) are recorded in a diagram on coordinates lg u and lg(-lg F) according to (2), the points must form a straight line, provided the formula (1) is right (Fig 1 for the meteorological station of Gur'yevsk).

Card 2/3

SOV/50-58-10-2/20

Method of Determining the Rate of Wind Calculation for the Design of Wind Loads on Structures

The calculation rates derived from it are somewhat, yet not much too low. For the determination of these velocities the straight line is continued in the direction of the high u-values and then read on the basis of the n-value prescribed (which is different for the various types of buildings). An important advantage of the method suggested is the possibility of producing in advance the corresponding net of coordinates in the quantity required. In order to check the method mentioned, the observations of a large system of weather stations in the European part of the USSR (without Caucasus), in western Siberia and Kazakhstan were investigated by means of this method. The systematic insufficiencies observed are discussed in detail in the paper mentioned in reference 1. Figure 2 shows the highest wind velocities which are occurring once within 5 years (v₅) in the area mentioned. Figure 3 presents the maximum velocities possible within 20 years (v₂₀). Therefrom it may be seen that this

method of calculation permits the determination of such wind velocities which are not measurable by means of a vane.— There are 4 figures and 4 references, 3 of which are Soviet.

Card 3/3

GANDIN, L.S.; SOLOVEYCHIK, R.E.

Multidimensional gymmetric delta functions, 7up. LGI 36 no.3:
(MIRA 16:5)

(Symmetric functions)

GANDIN, L.S.; SOLOVEYCHIK, R.E.

Sprending of smoke from factory chimneys. Trudy 060 nc.77:84-94

158. (MIRA 12:4)

(MIRA 12:4)

GA	NDI	√ j	L.	Σ,	•	-		 ¿	Y								,	- \3>				
			BOY/2547		7). 79. 81)	• lachby	5ct 2000 Ed.	is intended orology.	mic seteorology. is of forecating alset at deterining No personalities	501'tser.	rtation ¥	g Z	Resulton 53	58.	.	Fra 73			•			
		,			namic Meteòrology) :es: <u>Its</u> Iraky, vyp. 81)		thematical 1 Sciences; irov.	fransactions is inte		4	nace Congut	we Analysis of	delty	:	משפיים בייים	-1110	urdeon's	٠				
		. i	DYLOTTANTON	storige	E.	rmeteorologicheskoy	(Fitle page); M.I. Tudin, Doctor of Physical and Mathematical Sciences; Ed. (impide, book); L.P. Zhdanows; Tech. Ed.: O.G. Tladimirov.	unitate's fr	problem that it	L.S. Orlow	ults of Advi Cesters	Dabor, 4-4, 110. Estisan, and 2.13. Raiors. Comparative Some of the Simplest Methods of Rumerical Porecesting	grating the York	g Merikoda	d	Disor, 4.8. The Problem of Determining Vertical Wind Velo Alreraft Accelerograph Date	Talmes of Richardson Atmospheric Turbule					
			FLAST 1 BOX 23	ngs openwaterlys	\$ 6	rlentys gidra	rtor of Phytysteal and Tech. Ed.:	of the Geographical Institute's and specialists in dynamic and	Main: This collection of articles treats he articles, for the most part, discuss or mesorologic elements. Closaly related to ericles relocations, ascondants or attent's mesticand, Baferance accompany such as	L.V. Rukhoveta, L.S. Orlo tion	Pretygias, K.V., and M.A. Jonal-pusces. Results of Adv Of the Fillplanment of New Surface Cyclone Centers	S. Rakova.	ds for integrating		ands Computation	mining Vert	rition, Valueresed Au	:				
		i .	2	geofisicheskay	meteorologii steoisdat, 19 ted. 1,200 c	Sponsoring Agency: Clavnoys upravienty pri Sovete Maistrov 655R.	. Tudin, Do Doctor of Fi	of the Geo	ction of article most year. Tite. Close. * According	releve, L.V.	Son Surfa	sers, and Z	Gastin I.E. and C. Dolod. Mathods Liong as Isobaric Surface	ometyrical	Pretydae, E.V. Pormise for Advance Center Displacements	of Deter	M.Y. Determining the Critical Van Index Criterios	•				
				Glavnays	Yoprury Enmichesky mete Laningrad, didrometed Errata slip inserted.	Agency: Gl	1 (1 H.Z. 1 H.Z	FURTHER: This issue scientific workers	This colle- iteles, for logic elements i velocities	Tudin, H.I., H.I. Takovleva, L.V. The Problem of Cyclone Evolution	K.V., and P	Simplest	Oberic Sur	ar Det	E.Y. Pores	celerograph	L.Y. Determ in Index CT	1				
	•••	ů.	X (1)	Leningrad.	Vopray &	Sponsorta	Pr. (Titals (Institution)	PURCHOSE: Sectoreti	COVERACE: This The articles to	Treffe, E. I.	Presyden,	20 00 00 00 00 00 00 00 00 00 00 00 00 0	1 1 1 1 1 1	Correct of	Control Die	Poor, 4-8 Mirent A	Lavarias.				١.	
			***		·		, ,										.			•		
l	·	1					3.			<u> </u>		• • • • • • • • • • • • • • • • • • • •						·····	 	 		

GANDIN, L.S.

PHASE I BOOK EXPLOITATION

sov/4640

Leningrad. Glavnaya geofizicheskaya observatoriya

- Voprosy aviatsionnoy meteorologii (Problems in Aviation Meteorology) Leningrad, Gidrometeoizdat, 1959. 66 p. (Series: Its: Trudy, vyp. 98) 1,100 copies printed.
- Sponsoring Agencies: Glavnaya geofizicheskaya observatoriya imeni A. I. Voyeykova; Glavnoye upravleniye gidrometeorologicheskoy sluzhby pri Sovete Ministrov SSSR.
- Ed. (Title page): M. I. Yudin, Doctor of Physics and Mathematics; Ed. (Inside book): Yu V. Vlasova; Tech. Ed.: A. N. Sergeyev.
- PURPOSE: This issue of the Transactions of the Main Geophysical Observatory is intended for aerologists and meteorologists. It will also be of interest to aerodynamicists and aircraft navigators.
- COVERAGE: The articles in this issue treat problems in aviation meteorology. Individual papers discuss methods for

Card 1/3

2

Problems in Aviation Meterology

SOV/4640

determining the atmospheric turbulence on the basis of recordings of aircraft oscillations; the relation of oscillations to the meteorological conditions; and the probability of the occurrence of aircraft bumpiness in several regions over the Soviet Union. Problems dealing with the horizontal and vertical extent of clouds are also analyzed. No personalities are mentioned. References follow each article.

TABLE OF CONTENTS:

Dubov, A. S. Lateral Oscillations of an Aircraft Caused by Wind Gusts 3

Gandin, L. S. Oscillations of an Aircraft, Equipped With Automatic Pilot, in the Turbulent Atmosphere

17

Dubov, A. S., and A. L. Genkin. Determination of Vertical Wind Gusts According to Accelerograph Recordings on a Controlled Plane

38

Card 2/8

2

3(7), 3(3)

SOV/50-59-2-23/25

AUTHORS:

Anapol'skaya, L. Ye., Gandin, L. S.

accounted cand 2

TITLE:

Conference on Applied Climatology (Soveshchaniye po priklad-

noy klimatologii)

PERIODICAL:

Meteorologiya i gidrologiya, 1959, Nr 2, pp 69 - 70 (USSR)

ABSTRACT:

Between October 27 and 31, 1958 a Conference on Applied Climatology was held at the Clavnaya geofizicheskaya observatoriya im. A. I. Voyeykova (Main Geophysical Observatory imeni A. I. Voyeykov). The conference was convened upon request of the Glavnoye upravleniye gidrometeorologicheskoy sluzhby (Main Administration of the Hydrometeorological Service). 91 institutes participated, among them 8 scientific research institutes of the Hydrometeorological Service, 20 UGMS, 12 planning organizations, and 34 scientific research institutes of various authorities. In all, participation amounted to 254 persons. 22 papers were read. V. P. Pastukh spoke on the experience of the GGO in the field of aiding the economy, O. A. Drozdov on space and time characteristics of the climate, V. N. Sokolov on the use of the calculation technique, N. K. Klyukin on the work accomplished in the

Card 1/4

Conference on Applied Climatclogy

SOV/50-59-2-23/25

field of applied climatology of the Northeast of the USSR, Ye. S. Rubinshteyn spoke on the method developed by him for the determination of temperatures for the purpose of calculating the five cold days on the basis of the data of the monthly average temperature of the coldest month of the year. G. N. Ustinov suggested in his paper some principles by means of which the territory of the USSR should be divided in regions (for the planning of living quarters). V. M. Illinskiy gave a survey of the requirements made of climatic data in regard of the projecting of protective structures. L. Ye. Anapol'skaya and L. S. Gandin reported on the method of statistical extrapolation developed by them for the determination of the frequency of high wind velocities. M. P. Barshteyn proposed a method for the determination of the gust coefficient based on the spectrum theory of turbulent pulsations. V. A. Otstavnov gave a survey of the requirements made of climatic data in calculating wind and snow loads on buildings. G. I. Chirakadze reported on the experience made in the consideration of the climate of health resorts in the Caucasus in planning and construction.

Card. 2/4

-10.6120

21112 s/531/59/000/98/002/005

AUTHOR:

Gandin, L. S.

TITLE:

Oscillations of an Aircraft Equipped With Autopilot in a

Turbulent Atmosphere

SERIAL:

Leningrad. Glavnaya geofizicheskaya observatoriya im. A. I. Voyeykova.

Trudy, no. 98, 1959, Voprosy aviatsionnoy meteorologii, 17-37.

TEXT: A theory of oscillations for an autopiloted aircraft flying in a turbulent atmosphere is established and analyzed. The establishment of the theory was undertaken for two reasons: 1) in order to find a solution for ascertaining the effects of an autopilot on an aircraft's oscillations in a given type of atmospheric turbulence whereby the "optimal" autopilot problem might be taken into consideration [which for brevity is termed the direct problem], and 2) in order to find a solution for ascertaining the effects of an autopilot on the relationship between recorded characteristics of an aircraft and the actual turbulent pulsations of the velocity vector in the atmosphere [or more briefly, the indirect problem]. The author proceeded by employing two complementary methods of deriving equations which associate aircraft oscillations and turbulent pulsations of the wind speed in the atmosphere. The advantages and limitations of each method are reviewed in some detail. The structural functions' method first worked out by M.I. Yudin in 1946 is used for solving the

Card 1/5

21112

Oscillations of an Aircraft Equipped With Autopilot in a Turbulent Atmosphere

8/531/59/000/98/002/005

direct problem, and the spectral analysis method, subsequently developed by A. S. Dubov (Ref. 2: Trudy GGO, no. 51(113), 1955) is used for the indirect problem. First, equations are generalized for small longitudinal oscillations of an aircraft equipped with an autopilot from A. S. Dubov's formulas presented in [1], [2] and [3]. The methods in which these equations were derived, transformed, and rewritten in nondimensional form and in the form of matrices will be found in the three references cited above for A. S. Dubov. First, equations describing the effect of a linear autopilot on small longitudinal aircraft oscillations are rewritten for the special case of an autopilot which reacts instantaneously to a change in pitch angle corresponding to an elevator displacement. In formulating equation of the direct and indirect problems, relationships between recorded accelerations and components of velocity vectors of the air's motions have been established as follows: in the direct problem

Δ ₁ ⁿ₂ ²Δ₁² ^U₂ + Δ₁¹ **U**₁

X

Card 2/5

Cicillations of an Aircraft Equipped With Autopilot a Turbulent Atmosphere

21172 S/531/59/000/98/002/005

and in the indirect problem

$$\triangle_{11}^{u_2} = \triangle_{11}^{2n_2} + \triangle_{11}^{1n_1}$$

where n₁ and n₂ are the recorded horizontal and vertical overloads at the aircraft's center of gravity; u₁ and u₂ are the horizontal and vertical components of the velocity of the air's motions; the coefficients are differential determinants each of which after being determined and regrouped into equations has coefficients which are expressed in terms of Dubov's aerodynamic coefficients. Spectral transfer functions are used first for the case of u₁ =0, that is, horizontal pulsations of the velocity are lacking, where expressions are derived for the square of the transfer function of the u₂ and n₂ amplitudes and for the lag of n₂ phase in comparison with the phase of the u₂ function. Secondly, the spectral transfer functions are used for both horizontal and vertical pulsations with assumptions of isotropy of the turbulent pulsations, and of a 1:10 ratio between the horizontal and vertical aircraft overloads for all portions of the spectrum of frequencies. On the basis of formulas obtained, a calculation for the same aircraft and the same flight attitudes was made as A.S. Dubov did in Ref. 3. The results of calculating the transfer functions are presented

Card 3/5

21112

Oscillations of an Aircraft Equipped With Autopilot in a Turbulent Atmosphere

S/531/000/98/002/005

graphically in Fig. 1-8 for both the PO-2 aircraft plane and for the high-speed aircraft. An analysis of the curves in these figres results in several conclusions. The operation of an ideal autopilot does not result in diminishing an aircraft's oscillations over the entire spectrum of frequencies. In diminishing amplitudes of the oscillations in individual sectors of the frequency spectrum, the ideal autopilot augments the amplitudes in other sectors. In the frequencies interval of practical interest, the ideal autopilot, as a rule, diminished the oscillation amplitudes of smaller frequencies, and augmented the oscillation amplitudes of the larger frequencies. The ideal autopilot had no effect on the transfer function of the oscillations' amplitudes for very large and for very small frequencies. The effect of the autopilot on the transfer function was characterized also by the "truncation" of the maxima and minima of these functions: the maximum values of the functions decrease, while the minimum increase, as a result of which the transfer function approaches a monotonic function. The influence of an autopilot on the PO-2 aircraft, which even without an autopilot is very stable, is small. The autopilot influence is much more significant on the high-speed aircraft. This influence is expressed chiefly by the previously mentioned "truncation" of the maxima and minima of the transfer functions. The transfer function of the horizontal overload amplitudes to vertical velocities in the atmosphere is virtually constant over a very wide sector of the spectrum of, frequencies. The list of references include the following five works:

Card 4/5

21112

Oscillations of an Aircraft Equipped With Autopilot ... a Turbulent Atmosphere


8/531/000/98/002/005


- Dubov, A. S. The determination of vertical wind gusts from readings of an accelerograph placed at the aircraft's center of gravity. Trudy, GGO, no. 16, (78), 1949
- Vorontsov, P. A., and A. S. Dubov. Procedure in investigating the structure of an air current with an aircraft. Trudy, GGO, no. 51 (113), 1955
- 3. Dubov, A. S. Contribution to the question of determining vertical wind speeds from data of an aircraft's accelerograph. Trudy GGO, no. 81, 1959
- 4. Ostoslavskiy, I. V., and G. F. Kalachev. Longitudinal stability and controlability of an aircraft. Oborongiz, 1949
- 5. Ol'man, B. V., V. P. Tokarev, and Ye. I. Solov'yev, Autopilots. Oborongiz, 1946.

The Russian abstract of this article appeared in Referativnyy Zhurnal, Geofizika, 1960, No. 11, Ref. no. 14468, p. 167.

X

Card. 5/5





CIA-RDP86-00513R000614220005-1 "APPROVED FOR RELEASE: 09/17/2001

3(9)

AUTHORS: Gandin, L. S., Soloveychik, R. E. SOV/20-126-1-15/62

TITLE:

The Effect of Horizontal Mixing in the Direction of the Wind Upon Evaporation From Bounded Water Reservoirs (Vliyaniye gorizontal nogo peremeshivaniya v napravlenii vetra na ispareniye s ogranichennykh

vodoyemov)

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 126, Nr 1, pp 59-62 (USSR)

ABSTRACT:

An expression for the evaporation can be derived by using the initial equation together with the solution derived in a previous paper by the authors (Ref 1) (concerning the problem of distribution of vapor over the evaporizing surface). The authors investigate beside the transmission of vapor by the wind and the mixing in vertical direction - only the horizontal mixing in the wind direction. The simultaneous consideration of the horizontal mixing in the direction vertical to the wind causes mathematical difficulties. The joint influence of longitudinal and transverse mixing can be considered by inserting a certain factor into the formula derived in the present paper. The distribution of the

vapor concentration results from the solution of the equation $u\frac{\partial q}{\partial x} = \kappa \frac{\partial^2 q}{\partial x^2} + \frac{\partial}{\partial z} (k_z \frac{\partial q}{\partial z})$ under the boundary condition $q|_{z=0} = f(x)$.

Card 1/3


The Effect of Horizontal Mixing in the Direction of the Wind SOV/20-126-1-15/62 Upon Evaporation From Bounded Water Reservoirs

Also the condition of limitation on the surface has to be considered. The rather extensive solution of this problem is explicitly indicated and explained. Subsequently, some conclusions of general character are mades 1) In the present problem, the exchange coefficient and the wind velocity may not be set equal to zero, even in the first approximation, for in such a case the evaporation would approach infinity. 2) The formulas derived in the present paper parmit the evaluation of the influence of horizontal mixing in the wind direction on the evaporation as a function of the dimensions of the evaporizing area and the physical conditions of the evaporation process. The larger the evaporizing area is, the smaller is the influence of horizontal mixing on the evaporation. 3) Most interesting is the case of relatively small dimensions of the evaporizing area. In this case, the amount of total evaporation does not depend on the wind velocity. The neglect of horizontal mixing in case of small evaporizing areas does not only bring about incorrect quantitative results, but even a wrong order of magnitude of the decrease in total evaporation (or increase in specific evaporation) with an increase in the dimensions of the evaporizing area. The authors thank A. M. Zhuravskiy for valuable advice. There is 1 Soviet reference.

Card 2/3

2

the state of the s



PHASE I BOOK EMPLOYMENCE SOV/5729

Trainages. Glavnaya geofizicheokrya observatoriya.


Navyy prikladnoy klimatologii; shomik statey (Prehims in Applied II. abology; Gollection of Artheles) Laniagnat, abanca technical, by J. 199 p. Strata ally inserved. 1,050 copies printed.

Jeonichiag Alemoy: Glavnoye upravicative gidroneteorologicheokoy abuding phi Sovete Ministrey Gral. Glavnaya geofizicheokoya edergyatoriya im. A. I. Voyenkova.

Pl. (sitle page): P. F. Davitay, Doctor of Agricultural Sciences; hi: L. P. Zadanova; Tech. Ed.: W. V. Volkov.

PURIOSE: This publication is intended for applied climatologiats and planners in climate-dependent industries.

Sovenses: This collection of 18 articles contains reports originally presented at the Conference on Applied Climatology in Loniagod in October 1958. The purpose of the conference was to sumprise the results of research done in the field of applied capt. 17



			11.25.11
	Problems in Applied Climatology (Cont.) 20V/5729	.3	
	the General Methods of Applied Climatology	11	
	Klypkin, N. K. [Kolymskoye upravleniye gidrometeorologicheskoy bluchby Kolyma Administration of Hydrometeorological Service].	22	
	Rubinshteyn, Ye. S. [Main Geophysical Observatory imeni A. I. Yoyeykov]. Methods of Determining the Rated Temperatures in Designing the Protective Structures of Buildings	31	
	Anapol'skaya, L. Ye., and L. S. Gandin [Main Geophysical Observatory imeni A. I. Voyeykov]. High-Velocity Wind Regime Over the USSR for Calculating Wind Loads on Structures	38	•
	Funayev, B. A. [Nauchno-issledovatel'skiy institut zhilishcha Akademii stroitel'stva i arkhitektury SSSR Scientific Recearch Institute of Housing of the Academy of Construction and Architecture USSR]. On the Necessity of Expanding the Program of Solar Radiation Observations With Respect to Housing Construction Needs Card 3/13	52	
÷			

GANDIN, L.S. [translator], red.; DUBOV, A.S. [translator], red.; VLASOVA, Yu.V., red.; VLADIMIROV, O.G., tekhn.red. [Numerical methods of weather prediction; collection of translated articles] Chislennye metody prognoza pogody; sbornik perewodnykh statei. Pod red. L.S. Gendina i A.S. Dubova, Leningrad, Gidro-(MIRA 13:12) meteor.izd-vo, 1960. 281 p. (Weather forecasting)

CIA-RDP86-00513R000614220005-1"

APPROVED FOR RELEASE: 09/17/2001

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000614220005-1

86317 \$/049/60/000/007/009/009/XX E031/E335

9,9843

Gandin, L.S. and Soloveychik, R.E.

AUTHORS: TITLE:

On the Distribution of Radioactive Emanation in the

Atmosphere Near the Earth

PERIODICAL: Izvestiya Akademii nauk SSSR, Seriya geofizicheskaya, 1960, No. 7, pp. 1077 - 1081

TEXT: S.G. Malakhov (Ref. 1) has reviewed earlier theoretical investigations into the propagation of radioactive emanations in the lower layers of a turbulent atmosphere. Although the increase in the turbulent diffusion with height is considered, the effect of wind is ignored. Hence this paper considers a stationary distribution of a radioactive mixture established under the action of turbulent diffusion in the vertical plane, taking into account transport by wind and radioactive decay as a simple first approximation. The wind is assumed to have constant velocity and direction. The diffusion coefficient is assumed to increase with height according to a power law. A known flow of radioactive mixture enters the atmosphere from a bounded region of the Earth. The concentration is zero along

Card 1/3

86317

S/049/60/000/007/009/009/XX E031/E335

On the Distribution of Radioactive Emanation in the Atmosphere Near the Earth

the wind boundary (x = 0). The concentration is also zero at infinite height. The differential equation (1) with the boundary conditions (2) = (4) is solved by introducing a function Q(z;µ) which satisfies the differential equation (5) with boundary condition (6). The expression for Q is quoted and it is used as the kernel of an integral transform of the radioactive concentration. This results in an ordinary differential equation for the transform function. The solution is quoted and inverted by use of the Fourier-Bessel transformation. The final expression for the concentration is given by Eq. (11). The solution is analysed to clarify the effect of the wind velocity. For simplicity the case of constant flow is assumed and the comparison of the case of non-zero wind velocity with that of zero wind velocity is made at the surface

Card 2/3

86317

S/049/60/000/007/009/009/XX E031/E335

to the state that the find examination is a second of the state of the state of the state of the second of the sec

On the Distribution of Radioactive Emanation in the Atmosphere Near the Earth

of the Earth. The ratio of the concentrations is given by Eq. (16). For small values of the half-life, neglecting the effect of the wind leads to large errors. The problem can be generalised in two directions, the first by taking a more generalised law of turbulence more suitable for greater altitudes and the second by taking account of horizontal diffusion. There are 1 table and 7 Soviet references.

+

ASSOCIATION:

Leningradskiy gornyy institut imeni

G.V. Plekhanova (Leningrad Mining Institute

imeni G.V. Plekhanov)

SUBMITTED:

February 17, 1960

Card 3/3

Theory of evaporation with an account of horizontal mixing.

Trudy 600 no.94:127-137 '60. (MIRA 13:5)

(Evaporation)

**Trudy 600 no.94:126-138 of the Miss derphysical Observatory

**Trudy 600 no.94:126-138 of the Miss

